



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250 PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250 PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045



EECA approved Apricus Solar Systems available from Switch.

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
75% and above	Apricus	AP40_350	4 to 5	SWH boosted by electric	SH033
75% and above	Apricus	AP40_300	4 to 5	SWH boosted by electric	SH032
65-74%	Apricus	AP_30t_250_PC	4 to 5	SWH boosted by electric	SH040
65-74%	Apricus	AP_30t_240R	4 to 5	SWH boosted by electric	SH035R
65-74%	Apricus	AP_20t_195	3 or less	SWH boosted by electric	SH031
65-74%	Apricus	Apricus AP30-280	4 to 5	SWH boosted by electric	SH001
65-74%	Apricus	Apricus AP30-250	4 to 5	SWH boosted by electric	SH030
65-74%	Apricus	AP 30t Sigma 280	4 to 5	SWH boosted by electric	SH037
65-74%	Apricus	AP 30t Peter Cocks 300	4 to 5	SWH boosted by electric	SH038
65-74%	Apricus	AP 30t coopers 250	4 to 5	SWH boosted by electric	SH039
65-74%	Apricus	AP 30t 280 Sigma OL	4 to 5	SWH boosted by electric	SH043
55-64%	Apricus	AP_40t_400 Retro Fit	6 or more	SWH boosted by electric	SH042
55-64%	Apricus	AP_30t_300R	4 to 5	SWH boosted by	SH036cR

Indicative SWH performance	Supplier	System name	People in house	System type	Package system ID number
55-64%	Apricus	AP_20t_180R	3 or less	electric SWH boosted by electric	SH034R
45-54%	Apricus	AP_30t_300R	4 to 5	SWH boosted by electric	SH036R
45-54%	Apricus	AP_30t_180 Retro Fit	4 to 5	SWH boosted by electric	SH044R
45-54%	Apricus	Apricus AP30-315	4 to 5	SWH boosted by electric	SH002
45-54%	Apricus	AP20-250 Coopers	3 or less	SWH boosted by electric	SH047
45-54%	Apricus	250 L Peter Cocks	4 to 5	SWH boosted by electric	SH041
35-44%	Apricus	AP20t-200 Solamax	3 or less	SWH boosted by electric	SH048
35-44%	Apricus	AP20-250 Apricus	3 or less	SWH boosted by electric	SH046
35-44%	Apricus	AP20-225 Retrofit	3 or less	SWH boosted by electric	SH045